

## Product Features :

- 6" High Speed Color Dome
- 216X Super Had CCD (Day & Night)
- 480 Lines
- Wall / Ceiling Bracket Included
- Heater / Blower Built-in
- IP 66



## Video :

Optical Technology Base:	High Resolution Color 1/4" Super HAD CCD
Picture Elements (H x V in mm):	EIA/NTSC: 768H x 494 CCIR/PAL: 752H x 582V
Resolution:	480 Lines
Mini Illumination:	0.01 Lux F1.6
S/N Ratio:	>48dB
Shutter Speed:	1/3~1/10000s
Zoom:	18X Optical 12X Digital
Focus:	Auto / Manual
Focal Length:	f=4.1~73.8mm 18X
Iris:	Auto / Manual
White Balance:	Auto / Manual
Video Output:	1Vp-p , 75 Ω

## PTZ:

Pan Speed:	0~300°/sec
Tilt Speed:	0~120°/sec
Pan Range:	360° continuously
Tilt Range:	90° (180° w/ auto flip)
Presets:	128 presets (Total)
Communication:	Multiprotocol, RS485
IP Grade:	IP66
Weight:	4Lbs / 2Kg
Operating Temperature:	-35°C to +55°C (w/ Housing)


## Power:

Power Supply:	AC24V +/- 1.50
Power Consumption:	20VA

### Power Consumption

Motor Running:	600mA
Standby:	370mA
Fan Running:	450mA
Heater on:	180mA

### Dimensions(mm):



\* Pictures and specifications are subject to change without prior notice

